

The Gazette of India



सत्यमेव जयते

No. 31]

NEW DELHI, SATURDAY, AUGUST 2, 1952

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1952

CHOLERA				SMALLPOX				PLAGUE				CHOLERA				SMALLPOX				PLAGUE								
C.		D.		C.		D.		C.		D.		C.		D.		C.		D.		C.		D.						
STATES PART (A) AND PART (C)												Bombay—contd.																
Ajmer												Bombay Suburbans																
TOTAL		3	1	1	1							
(Estd. mid-year pop. 706 thousands)												Ahmednagar																
Total for w/e 28-6-52		80	10							
Total for w/e 21-6-52		205	24	..	1	10							
7-Yearly mean for the week		1	1							
Assam												Satara North																
Cachar		4	2	3	1	5							
Khasi and Jaintia Hills		2	1							
Naga Hills								
Goalpara		2	1							
Kamrup								
Darrang								
Nowgong		2							
Sibsagar		..	6	1							
Lakhimpur								
Sadiya & Frontier Tracts								
Garó Hills								
TOTAL		6	1	6	5							
(Estd. mid-year pop. 9,334 thousands)												Satara South																
Total for w/e 28-6-52		22	7							
Total for w/e 21-6-52		8	3							
7-yearly mean for the week		31	17	6	2							
Bhopal												Bijapur																
Return not received												Dharwar																
Bihar												43												10	5	1
Return not received												Kanara																
Bombay												Ratnagiri																
reuter Bombay		3							
Ahmedabad		1	..	1							
Aizawl		1							
Bach								
Bach Mahals								
Bach								
Bach								
Bach		12	4							
(Estd. mid-year pop. 38,802 thousands.)												Belgaum																
Total for w/e 28-6-52		100	41	28	5							
Total for w/e 21-6-52		55	16	43	12							
7-yearly mean for the week		136	63	128	28	13	4							
Goorg												Bijapur																
No incidence.												Dharwar																
(Estd. mid-year pop. 237 thousands)												Kanara																
Total for w/e 28-6-52								
Total for w/e 21-6-52		6	1							
7-yearly mean for the week		1							
Explanation of Symbols used:—C.—Cases; D.—Deaths.																												

Explanation of Symbols used:—C.—Cases; D.—Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1952—*contd.*

		CHOLERA		SMALLPOX		PLAGUE				CHOLERA		SMALLPOX		PLAGUE	
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Delhi								Madras							
Delhi City		3	Vishakhapatnam		14	6
New Delhi		3	Srikakulam		52	12
Delhi Notified Area		East Godavari		24	2
New Delhi Cantt.		Krishna	
West Delhi N. A. C.		Guntur		35	5
Rural Circles		1	Nellore		1	1
TOTAL		7	Ouddappah		28	106	14	2
Estd. mid-year pop.								Kurnool		3	3
1,744 thousands)								Bellary		144	49	14	5
Total for w/e 28-6-52		Anantapur		176	60	3	2
Total for w/e 21-6-52		1	Madras		1	..	10	2
7 yearly mean for the week		4	1	5	3	Chingleput		1	1	12	1
Himachal Pradesh								Chittoor		106	36	7	1
No incidence								Norsh Arcot		8	5
(Estd. mid-year pop.								Salem		62	33
997 thousands).								Coimbatore		52	24	3	2
Total for w/e 28-6-52		South Arcot		30	12
Total for w/e 21-6-52		Tanjore		2	2	8	3
Madhya Pradesh								Tiruchirappalli		7	3	15	3
Nagpur		Methuram	
Wardha		Ramanathapuram	
Chanda		20	2	Tirunelveli		14	4
Ohhindwara		1	Nagpur	
Betul		Malabar		8	6	5	2
Bhandara		South Kanara	
Jabalpur		West Godavari		2	1	2	1
Sagar		275	115	TOTAL		864	329	283	66
Mandla		(Estd. mid-year pop.							
Hoshangabad		57,900 thousands)							
Nimár		Total for w/e 28-6-52		619	254	163	36
Balaghat		Total for w/e 21-6-52		415	186	218	40
Raipur		1	7-yearly mean for the week		427	210	438	82	5	2
Bilaspur		14	8	Manipur							
Durg		TOTAL		1	..	1
Bastar		(Estd. mid-year pop.							
Surguja		588 thousands)							
Raigarh		6	5	Total for w/e 28-6-52		2	..	2
Amravati		1	Total for w/e 21-6-52		2	1
Yeotmal		8	..	2	Orissa							
Akola		32	16	Cuttack		13	3	15
Buldana		Balasore	
TOTAL		337	144	23	2	Puri		3	3	7
(Estd. mid-year pop.								Sambalpur		25	20	16	13
21,554 thousands)								Khoudmala	
Total for w/e 28-6-52		411	175	41	5	Ganjam Plains		9	6	4
Total for w/e 21-6-52		297	153	83	5	Ganjam Agency		3	3
7-Yearly mean for the week		142	66	102	26	Koraput		21	8	..	1
								Keonjhar		2
								Dhenkanal	
								Bolangir Putna		183	152	34	8
								Sundergarh		12	5

Explanation of Symbols used —C=Cases; D=Deaths

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1952—contd

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
O.	D.	C.	D.	O.	D.	C.	D.	O.	D.	C.	D.	O.	D.	C.	D.
West Bengal								Hyderabad—contd.							
Burdwan	30	5	21	1	—	—	—	Osmanabad	2	1
Birbhum	7	—	—	—	Warrangal	5	2	5	2	—	—	—
Bankura	8	3	—	—	—	Karimnagar	—	—	..	—
Midnapur	5	4	5	4	—	—	—	Adilabad	1	—	..	—
Hooghly	4	4	—	—	—	Nizamabad	1	—	—	—
Howrah	47	29	—	—	—	Medak	—	—
4-Parganas	51	25	23	8	—	—	—	Nalgonda
Calcutta	78	28	2	2	Mahbubnagar	—	—
Nadia	—	—	—	Hyderabad	2	—
Murshidabad	—	—	—	TOTAL	88	32	6	2	—	—	..
Malda	—	..	4	2	—	—	—	Jammu & Kashmir							
West Dinajpur	..	—	—	—	—	Return not received							
Jalpaiguri	—	—	1	..	—	—	—	Madhya Bharat							
Darjeeling	—	—	—	..	—	—	—	Bhind	—	—	—	—
Cooch Behar	—	—	—	—	—	Bhilai	21	22	..	—
Chandernagore	..	—	—	—	—	—	—	Gird	—	—	—
TOTAL	223	98	56	24	Indore	—	—	2	1	—	—	..
(Estd. mid-year pop. 25,180 thousands)								Jhabua	—
Total for w/e 28-6-52	255	120	69	21	Morena
Total for w/e 21-6-52	263	91	105	33	Mandsaur	..	—
7-yearly mean for the week	289	116	130	71	Nimar
Grand total for States Parts (A)& (C) excluding Bhopal and Bihar	1,947	852	563	167	Ratlam
(Estd. mid-year pop. 247,268 thousands).								Shivpuri	70	46	2	1
Corresponding total for w/e 28-6-52	2,048	979	548	127	Shajapur	—
Corresponding total for w/e 21-6-52	2,150	978	698	163	Guna	95	36
7-yearly mean for the week	1,667	707	1,154	281	18	6	6	TOTAL	186	104	4	2
STATES PART (B)								Mysore							
Hyderabad								Bangalore	7	5	7	1
Aurangabad	Chikmagalur	—	—	—
Parbhani	—	—	—	—	—	Chitaldrug	2	1
Bhir	11	6	—	—	—	Hassan
Gulberga	—	—	—	—	—	Kadur	—	—	—	—
Raichur	66	23	1	..	—	—	—	Kolar	11	12	5	—	4	3	..
Bidar	—	—	—	—	—	Mandya	2	—
								Mysore	21	19	23	4	9	7	..
								Shimoga	1	1	..	—	—
								Tumkur	2	4	—	—	..
								TOTAL	42	38	37	11	13	10	..

Explanation of Symbols used:—C.—Cases, D.—Deaths.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 5th July, 1952—concl'd.

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
PATIALA & EAST PUNJAB STATES UNION						Vindhya Pradesh					
TOTAL						No incidence					
11						Grand Total for States Part (B)					
3						316 174 102 33 13 10					
RAJASTHAN						Grand Total for States Parts (A), (B) & (C)					
Return not received.						2,263 1,026 665 200 13 10					
Saurashtra						ARREAR INFORMATION					
Gohilwad						Jammu & Kashmir					
Halar						w/e 21-6-52 w/e 28-6-52					
Madhya Saurashtra						No incidence.					
Sorath						TYPHUS					
Zalawad						Place Period Cases Deaths					
TOTAL						Jammu and Kashmir w/e 28-6-52 3 ..					
Travancore-Cochin						POLIOMYELITIS					
TOTAL						Information based on patients treated in hospitals in important towns					
25 11						Place Period Cases					
						Bombay State 1—15 July, 1952 29					
						Delhi State 1—15 July, 1952 12 (Paroties)					

Explanation of Symbols used C.—Cases; D.—Deaths.

NEW DELHI-2 (INDIA)

The 28th July, 1952.

K. MITRA,
for Registrar General, India.

NATIONAL SAVINGS CERTIFICATES

Available in three different series, maturing after 5, 7 and 12 years. The yield is 3%, 3.57% and 4.16% simple interest, respectively, at maturity. Thus, in the 12 year-certificates money increases by 50% on maturity. Interest is free of income-tax and super-tax and is not taken into account in arriving at the total taxable income.

The certificates are obtainable from Post Offices doing Savings Bank business in denominations of Rs. 5, 10, 50, 100, 500, 1,000 and 5,000. An individual can invest upto Rs. 25,000, and two joint holders upto Rs. 50,000/-.

Full particulars obtainable from Post Offices, District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioners, Simla.

Deposits accepted in multiples of Rs. 100/- upto a maximum of Rs. 25,000 for a single depositor and Rs. 50,000 for two persons jointly. Interest at 3½% per annum (free of all taxes and not taken into account in assessing the total taxable income) is paid or remitted to the depositor's address every year. Deposits accepted at offices of the Reserve Bank of India at Bombay Calcutta, Delhi & Madras, and Branches of The Imperial Bank of India in other places transacting treasury business.

Full particulars obtainable from District Organisers of the Small Savings Scheme, Assistant National Savings Officers, Provincial National Savings Officers, or the National Savings Commissioner, Simla.

3½%
TEN-YEAR
TREASURY SAVINGS
DEPOSITS

AC.275

TODAY'S BEST INVESTMENT FOR SMALL SAVERS

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952.

Town	Mid.-1952 Popn.-Est. (000)	B.	B.R.*	Deaths from :—								Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.				
STATES—(Parts A and C)														
Ajmer														
Ajmer	203	85	21.8	—	10	1	2	..	25	6.4	2	
Beawar	53	19	18.6	2	19	—	2	..	19	18.6	3	
TOTAL	256	104	21.1	2	19	1	4	..	44	8.9	5	
Assam														
Dibrugarh	40	8	10.4	1	1	3	3.9	..	
Gauhati	46	8	9.2	1	2	2.3	..	
Silchar	36	9	12.7	4	1	1	1	11	15.4	2	
Shillong	56	17	15.7	1	..	2	..	3	2.9	..	
TOTAL	177	42	12.3	7	2	3	1	19	5.6	2	
Bhopal														
Bhopal City	106	44	21.6	..	1	..	11	1	1	..	18	8.8	..	
Bihar														
Arrah	67	6	4.7	3	1	..	1	..	6	4.7	..	
Bettiah	36	11	15.8	2	..	1	..	3	4.3	..	
Bhagalpur	118	6	2.7	..	1	..	2	12	5.3	..	
Bihar	64	12	9.8	2	2	1.7	..	
Chapra	66	26	20.5	1	10	7.1	3	
Darbhanga	86	28	16.9	3	1	7	4.2	..	
Dhanbad†	44	2	2.4	2	2	2.4	..	
Dinapur	138	95	35.8	1	25	9	10	..	73	27.5	..	
Gaya	44	2	2.4	2	2	2.4	..	
Hazaribagh †	45	12	13.9	2	4	4.6	..	
Jamalpur	227	96	22.0	2	1	2	1	16	3.7	4	
Jamshedpur	45	
Kathihar	75	13	9.0	1	1	0.7	..	
Monghyr	77	17	11.5	1	11	7.4	..	
Muzaffarpur	293	75	13.3	1	2	30	5.3	..	
Patna	43	6	7.3	—	1	3	3.7	—	
Purnia	113	23	10.6	3	1	20	9.2	..	
Ranchi	113	23	10.6	3	1	20	9.2	..	
TOTAL	1,537	428	14.5	6	1	..	49	10	14	3	200	6.8	7	
Bombay														
Ahmedabad	814	587	31.3	16	9	83	1	230	14.7	80	
Ahmednagar	83	71	44.5	4	8	..	31	19.1	10	
Amalner	46	21	28.7	3	—	2	..	7	7.9	1	
Bagalkot	33	17	26.8	3	1	10	15.8	15	
Baroda	219	161	38.2	22	2	11	..	53	12.6	..	
Barsi	43	49	59.3	7	21	25.4	13	
Belgaum	85	54	33.0	8	3	4	..	31	19.0	8	
Bhusawal	56	39	36.2	1	..	3	1	11	10.2	2	
Bijapur	66	35	26.7	3	1	4	..	14	10.7	..	
Broach	64	40	37.4	4	..	4	..	14	11.4	1	
Cambay†	31	26	43.6	2	1	5	8.4	1	
Chalisgaon	69	53	39.0	1	12	9.0	..	
Dharwar	67	58	42.0	7	1	4	4	30	23.3	5	
Dhulia †	40	44	57.2	4	..	1	..	6	7.8	..	
Gadag-Betgeri	2,987	1,518	26.4	1	9	33	179	5	735	13.6	194	
Godhra	134	60	23.3	3	1	4	..	19	7.6	..	
Greater Bombay	41	36	45.7	0	5	6	..	29	36.8	13	
Hubli	71	23	19.7	3	..	4	..	15	10.9	3	
Jalgaon	62	26	21.5	1	..	8	6.7	1	
Kalyan	143	82	29.8	7	3	5	..	39	14.2	2	
Kolhapur	31	21	35.2	1	1	1	..	4	6.7	..	
Nandurbar	57	36	32.8	2	2	1	..	7	6.6	2	
Malegaon	65	38	30.4	17	19	15.2	9	
Miraj†	108	45	22.7	5	2	3	..	27	13.6	10	
Nadiad	46	26	24.4	1	..	1	..	4	4.5	1	
Nasik	41	36	45.7	0	5	6	..	29	36.8	13	
Navasari	44	40	42.3	11	..	2	..	18	27.3	6	
Pandharpur	516	211	21.3	2	3	34	6	133	13.4	52	
Patan	44	40	42.3	11	..	2	..	18	27.3	6	
Poona	516	211	21.3	2	3	34	6	133	13.4	52	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952—*contd.*

Town	Mid.-1952 Popn. Est. (000)	Deaths from—											Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.						
Bombay—contd.																
Sangli †	38	23	34.2	2	..	5	..	20	27.3	6			
Satara	274	180	34.2	14	9	46	1	126	23.9	37			
Sholapur	230	146	33.0	19	7	29	2	98	22.2	29			
Thana	52	19	18.6	2	9	8.8	1			
TOTAL	6,613	3,791	19.8	1	187	80	445	20	1,785	14.0	502			
Delhi State																
Delhi City	955	465	15.3	102	8	23	..	163	8.9	32			
New Delhi	304	167	28.6	2	2	..	1	39	6.7	6			
TOTAL	1,259	632	16.5	104	10	23	1	202	8.3	38			
Madhya Pradesh																
Achalpur	36	33	47.7	2	..	1	..	10	14.4	2			
Akola†	90	50	28.7	3	4	1	..	16	9.2	3			
Amravati	39	14	18.7	4	6	8.0	3			
Bilaspur	41	32	40.6	2	..	1	..	9	11.4	5			
Burhanpur †	39	44	58.7	8	..	4	1	17	22.7	2			
Gondia	212	80	19.6	..	1	..	7	4	3	..	42	10.3	17			
Hinganghat †	469	130	14.4	15	..	4	3	57	6.3	14			
Jabalpur	98	29	16.2	1	..	2	..	6	3.4	..			
Khandwa †	69	23	17.3	25	3	..	9	1	2	..	48	36.2	..			
Nagpur	37	32	45.0	5	1	1	..	15	21.1	3			
Raipur	1,125	407	21.6	25	4	..	50	10	19	4	226	10.4	49			
Sagar	37	32	45.0	5	1	1	..	15	21.1	3			
Wardha †	37	32	45.0	5	1	1	..	15	21.1	3			
Yeshwantpur	37	32	45.0	5	1	1	..	15	21.1	3			
TOTAL	1,125	407	21.6	25	4	..	50	10	19	4	226	10.4	49			
Madras																
Adoni	56	41	38.1	1	1	2	10	1	26	24.1	4			
Ambur	42	20	24.7	2	1	1	..	7	8.6	1			
Ankaville	42	34	42.1	2	2	5	..	24	29.7	6			
Aruppukottai	50	45	46.8	3	2	3	..	13	13.5	2			
Bellary	73	43	30.6	9	3	7	..	28	19.9	4			
Bhimsavaram	32	16	26.0	3	..	1	..	6	9.7	..			
Cannanore	43	34	41.1	3	..	5	..	18	21.2	4			
Chirala	37	17	23.8	1	7	9.8	..			
Chittoor	40	29	37.7	1	1	..	1	..	21	27.3	3			
Coimbatore	203	174	44.5	3	17	18	..	83	21.2	17			
Cuddalore	69	68	51.2	5	3	1	1	25	18.8	3			
Cuddappah	39	29	38.7	13	1	4	4	..	29	38.0	1			
Dindigul	82	30	19.0	3	5	6	..	25	15.8	..			
Eluru	90	27	15.6	5	..	3	2	24	13.8	2			
Erode	60	45	39.0	2	5	2	..	24	20.8	5			
Guddiyattam	47	29	32.1	1	2	3	1	..	14	15.5	6			
Guntur	124	115	48.2	1	12	4	6	2	51	21.3	15			
Kakinada	103	87	43.9	8	..	1	..	39	19.7	13			
Kancheepuram	86	54	32.6	1	5	14	..	49	29.0	11			
Karakudi	59	26	34.6	1	5	6.6	1			
Karur †	162	87	27.9	10	10	8	1	88	28.2	..			
Kozhikode	162	87	27.9	10	10	8	1	88	28.2	..			
Kumbakonam	95	51	27.5	1	1	5	1	23	12.4	2			
Kurnool	62	67	56.2	1	2	4	1	26	21.8	10			
Madras †	378	249	34.2	..	1	..	8	15	43	5	140	19.2	36			
Mangalore	122	117	49.8	1	3	5	..	45	19.1	4			
Mamulipatnam	81	44	28.2	4	1	2	..	21	13.4	6			
Mathurai	378	249	34.2	..	1	..	8	15	43	5	140	19.2	36			
Mayuram	45	33	38.1	2	..	11	12.7	1			
Meisapalayam	38	16	21.8	2	..	1	..	14	19.1	3			
Nagapattinam	59	41	36.1	2	17	14.9	3			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July 1952—*contd.*

Town	Deaths from													
	Mid.-1952 Popn.-Est. (000)	B.	B. R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Madras— <i>contd.</i>														
Nellore	85	86	52.6	9	4	5	1	56	34.2	8	
Ootacamund	43	45	54.4	1	..	2	..	12	14.5	1	
Palyamkottai	41	28	35.5	1	..	13	16.4	2	
Palghat	71	52	38.1	3	8	2	2	39	28.5	8	
Proddatur †	46	21	23.7	3	1	3	..	12	13.5	1	
Pudukottai	
Rajahmundry	109	78	37.2	8	4	7	..	69	32.9	9	
Rajapalayam†	212	111	27.2	3	8	17	1	60	14.7	7	
Salem	
Srivilliputtur	41	32	40.5	1	2	2	..	15	19.0	3	
Tanjore	105	71	35.2	..	2	..	1	1	5	..	38	18.8	4	
Tellicherry	63	29	52.9	2	2	..	12	21.9	1	
Tenali †	226	119	27.3	1	1	11	1	53	12.2	11	
Tiruchtrappalli	75	46	81.8	3	..	11	7.6	4	
Tirunelveli	
Tiruppur	55	41	38.7	3	2	2	..	21	19.8	3	
Tiruvannamalai	31	45	15.1	5	8.3	3	
Tuticorin	101	65	32.4	1	2	7	1	32	16.4	10	
Vaniyambadi	40	13	40.3	3	2	1	16	20.5	5	
Vellore	111	107	49.2	4	5	10	..	61	28.1	14	
Vijayavada	171	45	13.5	7	..	1	..	23	6.9	5	
Virudunagar	48	55	59.4	3	3	2	..	14	15.1	4	
Visakhapatnam	113	76	34.5	5	6	8	..	59	27.1	16	
Vizianagram	69	45	33.8	3	6	..	27	13.5	10	
TOTAL	4,254	2,896	35.4	26	4	..	139	144	237	21	1,551	10.0	291	
Orissa														
Berhampur	65	35	28.1	2	4	3	1	..	15	12.0	4	
Cuttack	106	81	39.0	3	2	2	..	45	22.1	8	
Puri	50	12	12.5	7	9	2	..	29	30.2	7	
TOTAL	221	128	30.1	2	14	14	5	..	89	10.9	19	
Punjab (I)														
Ambala	59	47	41.7	7	..	4	..	14	12.4	6	
Amritsar	317	168	27.7	4	6	43	..	106	17.5	35	
Batala †	
Bhiwani	53	45	44.4	8	..	2	..	18	17.8	5	
Ferozepore	41	27	34.4	1	6	7.7	..	
Hissar	86	16	23.2	6	..	3	..	9	13.1	5	
Hoshiarpur	47	36	40.4	3	2	..	9	10.0	2	
Jullundur	176	105	31.2	15	..	2	..	22	6.5	8	
Karnal	61	17	14.6	8	..	1	..	12	10.3	3	
Ludhiana	159	100	32.9	12	..	2	..	19	6.2	4	
Moga	88	27	37.1	1	..	1	..	5	6.9	4	
Panipat	57	27	24.8	5	2	1	..	9	8.3	1	
Pathankot	31	21	35.4	1	1.7	..	
Rewari	85	17	25.4	3	1	2	..	10	14.9	3	
Rohtak	73	35	25.1	12	..	1	1	19	13.6	3	
Simla	46	36	40.9	5	5.7	1	
Sonepat	31	18	30.4	2	..	1	..	6	10.1	2	
TOTAL	1,260	742	30.0	84	12	65	1	270	11.4	82	
Uttar Pradesh														
Agra	344	336	51.1	2	12	59	..	126	19.2	33	
Allahabad	332	128	20.8	2	1	44	1	75	12.2	17	
Amroha	59	62	54.9	5	2	5	..	24	21.3	7	
Bahraich	45	31	36.0	2	4	4.6	1	
Ballia	32	17	27.8	3	11	19	31.0	3	
Benaras	350	236	35.3	..	1	..	59	5	17	1	156	23.3	28	
Banda	31	7	11.6	2	2	4	6.7	..	
Bareilly	197	74	19.6	15	4	7	..	41	10.9	7	
Basti †	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952—*contd.*

Deaths from :—

Town	Mid-1952 Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I. D.
Uttar Pradesh—<i>contd.</i>													
Bijnor †													
Budaun	53	36	35.5	11	...	3	...	18	17.8	4
Bulandshahr	39	9	12.1	1	1	1.3	...
Chandausi	38	23	31.6	1	2	6	8.3	3
Dehra Dun	124	20	8.4	6	2	5	...	25	10.5	4
Etawah	61	38	32.6	13	...	3	...	27	23.1	7
Faizabad-Ajodhya	79	30	19.9	12	2	4	...	21	13.9	5
Farrukhabad-Fatehgarh	76	44	30.3	14	7	4	...	38	26.1	12
Ferozabad	69	39	29.6	12	...	3	...	23	17.4	8
Ghazilabad	40	29	37.9	3	3	3.9	1
Ghazipur	35	19	28.4	3	...	3	...	11	16.4	3
Gonda	33	19	30.1	1	...	1	...	4	6.3	2
Gorakhpur	128	44	18.0	11	...	7	1	40	16.3	10
Hapur	45	28	32.5	12	1	3	...	21	24.4	6
Hardwar	58	34	30.6	11	2	24	21.6	9
Hathras	58	42	37.9	23	2	8	...	42	37.9	11
Jaunpur	53	17	16.8	5	...	4	...	12	11.8	1
Jhansi	109	117	56.1	14	...	3	...	23	11.0	5
Kanpur	662	345	27.2	104	31	30	9	315	24.9	98
Kasganj	33	6	9.5	1	4	6.3	...
Khurja	39	20	26.8	2	...	2	...	13	17.4	4
Koil-Aligarh	141	68	25.2	14	1	7	...	41	15.2	6
Lucknow	457	268	30.7	41	12	26	1	166	19.0	40
Mathura	101	90	46.6	16	1	8	...	37	19.2	6
Mau-Nath Bhanjan †													
Meerut	167	92	28.8	13	2	11	...	31	9.7	2
Mirzapur-Vindhyasagar	90	49	28.5	...	1	...	13	1	4	...	26	15.1	5
Moradabad	158	80	26.5	19	5	5	...	50	16.5	18
Muzaffarnagar	67	36	28.1	4	1	3	...	19	7.8	5
Pilibhit	45	31	30.0	6	2	17	19.8	...
Rampur	140	15	5.6	2	...	1	...	9	3.4	2
Saharanpur	147	110	39.1	44	2	2	1	57	20.3	24
Sambhal	62	42	35.4	5	1	5	...	14	11.8	4
Shahjahanpur	99	63	33.3	16	1	1	...	26	13.7	7
Sitapur	46	23	26.1	...	1	...	8	1	1	...	13	14.8	5
TOTAL	4,932	2,817	29.7	5	3	...	559	103	298	14	1,617	17.1	413

West Bengal

Asansol†													
Baidyabati †													
Bally	62	11	9.3	1	1	0.8	..
Bankura †													
Bansberia	31	9	15.2	8	..	2	..	14	23.6	..
Baranagar	80	36	23.5	2	3	6	6	..	22	14.4	5
Basirhat	56	7	10.2	1	..	2	2.9	..
Berhampur	58	36	32.5	4	1	5	4.5	..
Bhadrapur †													
Bhatpara	136	31	11.9	..	1	..	15	2	2	..	54	20.8	13
Budge-Budge	32	3	4.9	1	2	1	..	6	9.8	1
Burdwan	77	13	8.8	1	..	5	3.4	..
Calcutta	2,609	793	15.9	28	2	..	63	62	152	1	631	12.6	172
Chandani	38	5	6.9	1	1	4	5.6	..
Cooch-Bihar†													
Darjeeling†													
English Bazar	32	1	1.6
Garden Reach	114	7	3.2	3	3	1	..	1	18	8.3	7
Hallsahar	37	6	8.5	1	2	2.8	1
Hooghly Chinsura	57	50	45.9	1	3	1	1	..	12	11.0	7
Howrah	452	103	11.9	5	11	20	22	..	123	14.2	37
Jalpaiguri	43	25	30.4	1	2	2.4	..
Kamarhati	80	26	17.0	2	2	3	..	14	9.1	..
Kanchrapara	61	11	9.4
Krishnagar	50	1	1.0	1	..	1	1.0	..
Midnapore	44	28	33.3	2	1	2	..	17	20.2	2
Nabadwip	59	20	17.7	6	2	1	..	12	10.6	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952—*contd.*

Town	Mid-1952 Popn.-Est. (000)	Deaths from—										Total	D.R.*	I.D.	
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
West Bengal— <i>contd.</i> —															
Nalhati	57	4	3.7	—	—	—	—	1	1	—	9	8.3	2	—	
North Barrackpore	34	3	4.6	—	—	—	1	1	—	—	2	3.1	—	—	
Panihati †															
Santipur	44	15	17.8	—	—	—	—	—	—	—	4	4.8	—	—	
Serampore	76	21	14.4	—	—	—	—	5	—	—	15	16.3	—	—	
Siliguri †															
South Dum-Dum	68	2	1.5	—	—	—	—	—	—	—	—	—	—	—	
South Suburban	108	13	6.3	3	—	—	2	5	—	—	13	6.3	4	—	
Titagarh	72	23	16.7	—	—	—	26	—	1	1	30	21.9	2	—	
Tollygunj	163	17	5.4	—	—	—	—	—	1	—	1	0.3	—	—	
TOTAL	4,810	1,320	14.3	43	3	—	152	114	13	3	1,019	11.0	253	—	

STATES (Part B)

Jammu & Kashmir }
Madhya Bharat }

Returns not received.

Mysore State

Bangalore City	825	568	35.9	—	1	—	13	23	11	—	241	15.2	—	—
Devanagere	59	29	25.6	—	—	—	—	3	1	—	10	8.8	—	—
Kolar Gold Fields	163	160	51.0	—	—	—	1	4	5	—	39	12.0	—	—
Mysore City	257	147	29.7	—	—	—	11	6	—	—	67	13.6	—	—
TOTAL	1,304	904	36.0	—	1	—	25	36	23	—	357	14.2	—	—

PEPSU

Bhatinda	35	10	14.0	—	—	—	1	1	—	1	4	5.9	1	—
Malerkotla	33	23	42.5	—	1	—	—	—	—	—	4	6.3	—	—
Patiala	100	50	26.0	—	—	—	12	1	—	—	19	0.9	5	—
TOTAL	168	83	25.7	—	1	—	13	2	—	1	27	8.4	6	—

Rajasthan

Alwar	59	14	12.6	—	—	—	1	—	—	—	3	2.6	—	—
Bharatpur †				—	—	—	4	5	—	—	17	7.6	—	—
Bikaner	117	63	28.0	—	—	—	—	—	—	—	—	—	—	—
Churu	43	3	2.4	—	—	—	—	—	—	—	1	1.2	—	—
Ganganagar	39	7	9.3	—	—	—	4	—	—	—	9	12.0	3	—
Kotah	66	14	11.0	—	—	—	—	—	—	—	3	2.4	—	—
Jaipur	307	35	5.9	—	—	—	36	3	12	1	85	14.3	32	—
Jodhpur †				—	—	—	—	—	—	—	—	—	—	—
Sikar	46	10	11.3	—	—	—	—	—	—	—	6	6.8	6	—
Tonk	43	10	12.1	—	—	—	—	—	1	—	3	3.6	2	—
Udaipur	94	6	3.3	—	1	—	4	—	—	—	5	2.7	—	—
TOTAL	814	162	10.3	—	1	—	49	8	13	1	132	8.4	43	—

Saurashtra

Bhavnagar	143	40	14.5	—	—	—	14	—	2	—	24	8.7	10	—
Dhoraji	45	44	50.8	—	1	—	5	2	5	—	18	20.8	—	—
Gondal	38	18	24.6	—	—	—	—	1	3	—	8	10.9	4	—
Jamnagar	109	23	11.0	—	—	—	18	2	4	—	35	16.7	10	—
Junagadh	63	33	27.2	—	—	—	5	1	1	—	14	11.6	2	—
Morvi	41	13	16.5	—	—	—	2	—	—	—	2	2.5	2	—
Porbandar	60	30	26.0	—	—	—	18	1	1	—	24	20.8	10	—
Rajkot	141	56	20.6	—	2	—	16	5	6	—	41	15.1	20	—
Surendra Nagar	36	9	12.8	—	—	—	2	—	—	—	3	8.7	1	—
Veraval	42	3	3.7	—	—	—	2	—	2	—	4	5.0	—	—
TOTAL	718	269	19.5	—	3	—	82	12	24	—	173	12.5	59	—

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates are not be sufficiently reliable for calculating the birth and death rates.
† Figures not available.
Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952—*contd.*

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	Deaths from :—							Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.			
Travancore-Cochin													
Alleppey	124	120	52.8	—	—	—	1	..	5	—	17	2.1	8
Changanacherry	37	31	43.6	—	—	—	1	..	4	5.6	..
Ernakulam	64	42	34.1	—	—	—	1	1	15	12.2	3
Kottayam	46	63	71.2	—	—	—	1	..	6	6.8	1
Mattancherri	76	58	39.7	—	—	—	1	1	3	—	14	9.6	5
Nagercoil	83	57	35.7	—	—	—	2	1	2	—	14	8.9	3
Quilon	68	70	53.5	—	—	—	1	—	12	9.2	..
Trichur	71	39	28.6	—	—	—	1	..	1	..	8	5.9	1
Trivandrum City	195	261	69.6	—	2	—	3	4	8	1	45	12.0	6
TOTAL	764	747	50.8	—	2	—	9	7	22	1	135	9.2	22

ARREAR RETURNS

For the 14th June 1952

Bihar													
Arrah	67	5	3.9	4	1	1	..	6	4.7	..
Bettiah	36	68	97.9	3	..	3	..	20	28.8	..
Bihar †													
Bhagalpur	118	9	4.0	..	1	..	6	20	8.8	..
Chapra	66	25	19.8	1	..	1	1	13	10.3	2
Darbhanga	86	22	17.5	1	5	1	14	8.5	..
Dinapur	44	2	2.4	1	1.2	..
Gaya	138	44	16.6	..	2	..	15	1	10	..	50	18.9	..
Jamalpur †													
Jamshedpur	227	85	19.5	..	1	3	..	13	3.0	2
Monghyr	75	6	6.2	2	2	1.4	..
Muzaffarpur †													
Patna	293	87	15.4	2	1	..	3	1	—	—	51	9.1	..
Purulia	43	8	9.7	4	4.8	..
Ranchi	113	17	7.8	—	—	—	3	7	3.2	..
TOTAL	1,306	378	15.1	3	5	..	42	4	18	1	201	8.0	4

for the 21st June 1952

West Bengal													
Asansol †													
Baidyabati †													
Bally	62	11	9.3	2	3	..	7	5.9	..
Bankura	49	14	14.9	1	2	2.1	..
Bansberia†													
Baranagar	80	35	22.9	2	2	7	3	..	22	14.4	6
Basirhat	36	6	8.7	2	..	1	..	4	5.8	..
Berhampur	58	27	24.3	2	..	1	..	9	8.1	..
Bhadreswar	33	7	11.1	3	..	4	..	7	11.1	2
Bhatpara	136	39	10.0	14	..	3	1	41	13.1	5
Budge-Budge	32	6	9.8	1	3	1	..	7	11.4	2
Burdwan	77	10	6.8	2	..	6	4.1	..
Calcutta	2,609	1,030	20.6	28	70	62	180	1	671	13.4	184
Chandani	38	44	60.5	1	1	7	9.6	..
Cooch-Behar†													
Darjeeling†													
English Bazar	32
Garden Reach	114	20	9.2	1	2	3	..	10	4.6	3
Halisahar	37	2	2.8	1	1.4	..
Hoochly Chinsura	57	24	22.0	3	..	2	..	7	6.4	..
Howrah.	452	96	11.1	10	10	21	35	..	139	16.1	34
Jalpaiguri†													
Kamarhati†													
Kanchrapara	61	10	8.6	2	..	2	1.7	..
Krishnagar	50	1	1.0
Midnapore	44	13	15.4	1	1	16	19.0	2
Nabadwip	59	32	28.4	3	2	6	5.3	..
Naihati	57	5	4.6	1	1	0.9	..
North Barrackpore	34	2	3.1
Panihati	55	10	9.5
Santipur	44	17	20.2	3	3.6	..
Serampore	76	31	21.3	2	4	1	1	..	15	10.3	2
Siliguri†													
South Dum-Dum	68	2	1.5	3	..	3	2.3	..
South Suburban	108	37	17.9	1	3	3	6	..	22	10.7	7
Titagarh	72	29	21.1	21	2	24	17.4	..
Tollygunj	163	35	11.2	1	1	0.3	..
TOTAL	4,783	1,595	17.3	43	143	108	250	2	1,033	11.3	247

*In cases of towns where there has been an abnormal movement of population it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths).

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 5th July, 1952—*contd.*

Deaths from :—

Town	Mid-1952 Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Bharat													
<i>For w/e the 4th June, 1952</i>													
Greater Gwalior	249	88	18.3	3	2	15	3.1	2
Indore City	325	105	16.8	2	37	3	5	1	99	15.8	38
Ratlam City	66	18	14.1	8	5	21	16.5	6
Ujjain City	136	21	8.0	1	7	..	32	12.2	8
TOTAL	776	232	15.5	2	48	11	12	1	167	11.2	52
Madhya Bharat													
<i>For w/e the 21st June, 1952</i>													
Greater Gwalior	249	152	31.7	6	1	21	4.3	2
Indore City	325	212	33.0	15	4	4	1	75	12.0	19
TOTAL	574	364	33.0	21	4	4	2	96	8.7	21
<i>For w/e the 28th June, 1952</i>													
Madhya Bharat													
Greater Gwalior	249	43	8.9	1	11	2.2	1
Indore City	325	100	16.0	25	6	5	1	77	12.3	29
TOTAL	574	143	13.0	26	6	5	1	88	8.0	30
Madhya Bharat <i>For w/e</i>													
Ratlam City 31-5-52	66	13	10.2	8	1	1	1	21	16.5	2
Bombay													
Kalyan 28-6-52	143	100	37.0	2	3	2	1	39	14.2	9
Dharwar "	69	38	28.6	3	2	..	11	8.3	2
Thana 14-6-52	53	34	33.4	2	7	6.9	1
Patan 7-6-52	44	27	32.5	7	..	1	1	16	18.9	2
" 17-5-52	"	28	33.1	8	..	5	..	22	26.0	10
Pandharpur 7-6-52	41	37	46.9	4	3	5	..	14	17.8	3
Bhusawal "	56	53	49.2	6	1	8	..	26	24.1	2
Jalgaon 15-5-52	71	22	16.1	8	..	3	..	22	16.1	9
Camboy 29-3-52	44	32	49.3	15	18	24.0	..
Madhya Pradesh													
Sagar 21-6-52	69	29	21.9	9	5	..	12	..	1	..	31	23.4	..
" 28-6-52	..	35	26.4	32	2	..	8	..	1	..	49	36.9	..
Khandwa "	54	13	12.5	5	5	4.8	..
Burhanpur "	72	47	33.9	5	1	2	..	17	12.3	..
Gondia "	39	54	72.0	6	1	5	1	15	20.0	2
Punjab (I)													
Simla 28-6-52	46	34	38.6	3	3.4	2
Bhopal													
Bhopal City 28-6-52	106	43	21.1	9	1	..	†	17	8.3	†

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not sufficiently be reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rates; I.D.=Infantile Deaths (included in total deaths).

REMARKS

The figures of births and deaths shown in this statement for week ending the 5th July, 1952, relate to 241 towns with an estimated population of 30,318 thousands. The total number of towns is 281 and their population is 34,746 thousands. Thus 86% of the total number of towns representing 87% of the total population is covered in this statement. The numbers of births and deaths recorded in these towns were 15,576 and 7,864 representing birth and death rates of 27.0 and 13.5 per thousand of population respectively.

(A) States (Parts A & C).—The data here relate to 206 towns with an estimated population of 26,550 thousands. The total number of towns is 235 and their population is 29,552 thousands. Thus 88 % of the total number of towns representing 90% of the total population is covered. The numbers of births and deaths recorded in these towns were 13,411 and 7,040 per thousand

of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States.—(Part B):—The data here relate to 35 towns with an estimated population of 3,768 thousands. The total number of towns is 46 and their population is 5,194 thousands. Thus 76% of total number of towns representing 73% of total population is covered. The numbers of births and deaths recorded in these towns were 2,165 and 824 representing birth and death rates of 29.9 and 11.1 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 5-7-52		Corresponding w/e last year		Corresponding mean during the previous 5 years period	
	B. R.	D. R.	B. R.	D. R.	B. R.	D. R.
Ajmer	21.1	8.0	38.8	8.0	33.2	12.6
Bihar	14.5	6.8	9.3	6.8	12.5	9.7
Bombay	29.8	14.0	30.5	14.3	29.7	18.9
Delhi	26.5	8.3	38.2	10.9	34.1	15.8
Madhya Pradesh	21.6	10.4	29.2	12.3	33.7	17.6
Madras	35.4	19.0	36.6	21.0	43.3	21.6
Orissa	30.1	20.9	45.6	23.2	41.7	26.3
Punjab (I)	30.3	11.4	25.0	13.1	25.3	14.0
Uttar Pradesh	29.7	17.1	33.5	17.5	31.0	22.8
West Bengal	14.3	11.0	18.7	12.3	13.3	12.8
India (only States Parts A and C).	26.3	13.8	28.9	14.9	28.7	18.5

NEW DELHI. 2 (INDIA);
The 28th July, 1952.

K. MITRA,
for Registrar General, India.

